

<b>Sitka Gold - RC Project - Significant Intersections</b>					Jan 22
<b>Hole ID</b>	<b>Zone</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Length (m)</b>	<b>Au (g/t)</b>
<b>DDRCCC-20-001</b>	<b>Saddle</b>	<b>3.0</b>	<b>87.8</b>	<b>84.8</b>	<b>0.53</b>
<b>DDRCCC-20-002</b>	<b>Blackjack</b>	<b>63.0</b>	<b>296.0</b>	<b>233.0</b>	<b>0.61</b>
including		156.4	186.0	29.6	1.00
including		193.3	296.0	102.7	0.85
<b>DDRCCC-20-003</b>	<b>Eiger</b>	<b>5.0</b>	<b>302.0</b>	<b>297.0</b>	<b>0.37</b>
including		243.0	300.5	57.5	0.50
<b>DDRCCC-20-004</b>	<b>Eiger</b>	<b>5.9</b>	<b>279.0</b>	<b>273.1</b>	<b>0.41</b>
including		131.9	273.0	141.1	0.61
<b>DDRCCC21-007</b>	<b>Blackjack</b>	<b>18.0</b>	<b>336.0</b>	<b>318.0</b>	<b>0.45</b>
including		128.0	232.0	104.0	0.57
including		261.7	353.4	91.7	0.61
including		261.7	294.0	32.3	1.24
including		280.0	294.0	14.0	2.09
including		284.0	286.0	2.0	5.49
<b>DDRCCC21-008</b>	<b>Blackjack</b>	<b>6.0</b>	<b>38.0</b>	<b>32.0</b>	<b>0.16</b>
<b>DDRCCC21-009</b>	<b>Eiger</b>	<b>76.0</b>	<b>435.5</b>	<b>359.5</b>	<b>0.41</b>
including		76.0	148.0	72.0	0.72
including		198.0	210.0	12.0	1.52
including		202.0	204.0	2.0	6.25
including		295.0	342.5	47.5	0.42
including		295.0	296.0	1.0	5.74
<b>DDRCCC-21-010</b>	<b>Eiger</b>	<b>39.0</b>	<b>441.5</b>	<b>402.5</b>	<b>0.40</b>
Including		48.0	72.2	24.2	0.72
Including		58.0	72.2	14.2	0.82
Including		66.0	72.2	6.2	1.41
Including		136.5	174.3	37.8	1.03
Including		154.0	174.3	20.3	1.65
Including		256.0	285.0	29.0	0.75
Including		424.0	427.3	3.3	2.07
Including		426.9	427.3	0.4	13.50
<b>DDRCCC-21-011</b>	<b>Eiger</b>	<b>117.0</b>	<b>146.0</b>	<b>29.0</b>	<b>0.50</b>
Including		144.0	146.0	2.0	3.70
<b>DDRCCC-21-012</b>	<b>Eiger</b>	<b>25.0</b>	<b>50.0</b>	<b>25.0</b>	<b>0.66</b>
Including		39.0	40.0	1.0	9.26
Including		166.0	173.0	7.0	1.30
Including		172.1	173.0	0.9	4.35
<b>DDRCCC-21-013</b>	<b>Eiger</b>	<b>113.0</b>	<b>326.0</b>	<b>213.0</b>	<b>0.44</b>
including		113.0	145.0	32.0	0.62
including		193.0	195.9	2.9	1.14
including		121.0	145.0	24.0	0.65
including		267.0	326.0	59.0	0.60
including		299.0	314.0	15.0	1.22
including		299.0	301.8	2.8	4.20
<b>DDRCCC-21-014</b>	<b>Eiger</b>	<b>265.0</b>	<b>479.0</b>	<b>214.0</b>	<b>0.41</b>
including		299.0	355.0	56.0	0.65
including		353.0	355.0	2.0	4.47
including		273.0	355.0	82.0	0.60
including		321.0	323.0	2.0	4.42
including		447.0	469.0	22.0	0.64
and		221.0	224.0	3.0	1.50
and		154.0	164.0	10.0	1.32
including		154.0	156.0	2.0	4.06
<b>DDRCCC-21-015</b>	<b>Eiger</b>	<b>59.5</b>	<b>60.4</b>	<b>0.9</b>	<b>0.70</b>
and		200.0	204.0	4.0	0.39
and		272.0	378.0	106.0	0.13
including		303.0	307.0	4.0	0.59

Date Released (2025)

Hole ID	Zone	From (m)	To (m)	Length (m)	Au (g/t)
<b>DDRCCC-21-016</b>	<b>Eiger</b>	<b>39.0</b>	<b>51.0</b>	<b>12.0</b>	<b>1.18</b>
including		39.9	40.3	0.4	18.10
and		136.0	161.0	25.0	0.56
<b>DDRCCC-21-017</b>	<b>Eiger</b>	<b>84.0</b>	<b>86.0</b>	<b>2.0</b>	<b>1.32</b>
<b>DDRCCC-21-018</b>	<b>Saddle</b>	<b>75.0</b>	<b>82.0</b>	<b>7.0</b>	<b>1.52</b>
and		123.0	129.0	6.0	2.21
<b>DDRCCC21-019</b>	<b>Saddle</b>	<b>48.0</b>	<b>128.0</b>	<b>80.0</b>	<b>0.59</b>
including		80.0	96.0	16.0	2.18
including		80.0	82.7	2.7	6.54
including		80.0	81.6	1.6	10.09
including		81.3	81.6	0.3	39.20
and		124.0	128.0	4.0	1.20
<b>DDRCCC-21-021</b>	<b>Blackjack</b>	<b>6.0</b>	<b>226.1</b>	<b>220.1</b>	<b>1.17</b>
including		11.0	187.0	176.0	1.27
including		43.0	71.0	28.0	1.36
including		80.8	184.0	103.2	1.61
including		80.8	81.0	0.2	35.70
including		81.0	81.5	0.5	9.81
Including		120.0	170.5	50.5	2.08
including		120.0	126.1	6.1	4.30
including		123.6	126.1	2.5	6.13
including		150.0	170.5	20.5	2.85
<b>DDRCCC-22-022</b>	<b>Blackjack</b>	<b>46.0</b>	<b>319.0</b>	<b>273.0</b>	<b>0.52</b>
including		193.0	317.0	124.0	0.81
including		253.0	315.0	62.0	1.21
including		253.0	267.0	14.0	3.85
including		313.0	315.0	2.0	6.36
<b>DDRCCC-22-023</b>	<b>Blackjack</b>	<b>4.2</b>	<b>210.0</b>	<b>205.8</b>	<b>1.00</b>
including		46.0	137.0	91.0	1.61
including		47.0	48.0	1.0	10.95
including		68.0	69.0	1.0	13.65
including		125.0	126.0	1.0	16.80
<b>DDRCCC-22-024</b>	<b>Blackjack</b>	<b>8.0</b>	<b>112.0</b>	<b>104.0</b>	<b>1.48</b>
including		16.0	82.0	66.0	2.11
including		24.0	35.0	11.0	3.76
including		66.0	67.0	1.0	7.92
including		80.0	82.0	2.0	35.60
<b>DDRCCC-22-025</b>	<b>Blackjack</b>	<b>19.0</b>	<b>368.0</b>	<b>349.0</b>	<b>0.71</b>
including		25.0	246.0	221.0	1.01
including		109.0	191.0	82.0	1.49
including		109.0	129.0	20.0	3.08
including		111.0	113.0	2.0	15.15
<b>DDRCCC-22-029</b>	<b>Blackjack</b>	<b>27.0</b>	<b>143.0</b>	<b>116.0</b>	<b>0.65</b>
including		124.0	143.0	19.0	1.02
<b>DDRCCC-22-030</b>	<b>Blackjack</b>	<b>2.8</b>	<b>148.0</b>	<b>145.2</b>	<b>0.91</b>
including		2.8	36.6	33.8	1.42
<b>DDRCCC-22-031</b>	<b>Blackjack</b>	<b>147.0</b>	<b>216.0</b>	<b>69.0</b>	<b>0.51</b>
including		147.0	157.0	10.0	1.18
including		186.0	210.0	24.0	0.82
<b>DDRCCC-22-032</b>	<b>Blackjack</b>	<b>55.0</b>	<b>65.0</b>	<b>10.0</b>	<b>0.48</b>
and		255.0	265.0	10.0	0.42
and		352.0	362.4	10.4	0.47
<b>DDRCCC-22-033</b>	<b>Blackjack</b>	<b>104.6</b>	<b>114.7</b>	<b>10.1</b>	<b>1.56</b>
including		113.8	114.7	0.9	12.40
and		292.0	311.0	19.0	1.03
<b>DDRCCC-22-035</b>	<b>Blackjack</b>	<b>122.5</b>	<b>123.3</b>	<b>0.8</b>	<b>7.71</b>
and		156.0	162.0	6.0	1.12

Hole ID	Zone	From (m)	To (m)	Length (m)	Au (g/t)
<b>DDRCCC-22-036</b>	<b>Blackjack</b>	<b>3.0</b>	<b>373.0</b>	<b>370.0</b>	<b>0.33</b>
including		34.9	167.0	132.1	0.51
and		282.9	284.0	1.1	20.40
<b>DDRCCC-22-037</b>	<b>Blackjack</b>	<b>186.0</b>	<b>223.5</b>	<b>37.5</b>	<b>0.65</b>
<b>DDRCCC-22-038</b>	<b>Blackjack</b>	<b>21.8</b>	<b>474.5</b>	<b>452.7</b>	<b>0.56</b>
including		104.0	407.0	303.0	0.79
including		176.0	373.0	197.0	1.00
<b>DDRCCC-22-039</b>	<b>Blackjack</b>	<b>338.0</b>	<b>461.0</b>	<b>123.0</b>	<b>0.26</b>
<b>DDRCCC-22-040</b>	<b>Blackjack</b>	<b>8.0</b>	<b>207.5</b>	<b>199.5</b>	<b>1.27</b>
including		8.0	90.0	82.0	2.05
including		16.0	18.0	2.0	31.20
<b>DDRCCC-23-041</b>	<b>Blackjack</b>	<b>200.0</b>	<b>492.0</b>	<b>292.0</b>	<b>1.00</b>
including		281.8	352.0	70.2	2.09
<b>DDRCCC-23-042</b>	<b>Blackjack</b>	<b>273.7</b>	<b>488.9</b>	<b>215.2</b>	<b>0.99</b>
including		381.5	425.0	43.5	1.66
including		381.5	412.2	30.7	2.19
<b>DDRCCC-23-043</b>	<b>Blackjack</b>	<b>4.0</b>	<b>453.0</b>	<b>449.0</b>	<b>0.74</b>
Including		315.0	453.0	138.0	1.14
<b>DDRCCC-23-044</b>	<b>Blackjack</b>	<b>107.2</b>	<b>269.0</b>	<b>161.8</b>	<b>0.71</b>
Including		253.0	269.0	16.0	2.36
<b>DDRCCC-23-045</b>	<b>Blackjack</b>	<b>57.0</b>	<b>109.5</b>	<b>52.5</b>	<b>0.51</b>
Including		57.0	71.0	14.0	0.80
<b>DDRCCC-23-046</b>	<b>Blackjack</b>	<b>134.0</b>	<b>190.0</b>	<b>56.0</b>	<b>1.23</b>
and		326.1	330.4	4.3	33.10
including		327.8	329.0	1.2	108.00
<b>DDRCCC-23-047</b>	<b>Blackjack</b>	<b>190.0</b>	<b>409.0</b>	<b>219.0</b>	<b>1.36</b>
Including		233.0	359.0	126.0	2.04
<b>DDRCCC-23-048</b>	<b>Blackjack</b>	<b>152.0</b>	<b>210.1</b>	<b>58.1</b>	<b>0.72</b>
Including		179.5	201.2	21.6	1.22
Including		195.0	201.2	6.2	2.85
<b>DDRCCC-23-049</b>	<b>Blackjack</b>	<b>97.5</b>	<b>238.0</b>	<b>140.5</b>	<b>0.29</b>
Including		190.0	238.0	48.0	0.42
Including		190.0	219.9	29.9	0.59
<b>DDRCCC-23-050</b>	<b>Blackjack</b>	<b>206.0</b>	<b>284.0</b>	<b>78.0</b>	<b>0.30</b>
<b>DDRCCC-23-051</b>	<b>Blackjack</b>	<b>190.8</b>	<b>295.0</b>	<b>104.2</b>	<b>0.30</b>
including		263.0	295.0	32.0	0.59
<b>DDRCCC-23-053</b>	<b>Saddle</b>	<b>21.7</b>	<b>439.0</b>	<b>417.3</b>	<b>0.25</b>
Including		253.5	282.5	29.0	0.68
Including		406.1	410.0	3.9	4.76
<b>DDRCCC-23-054</b>	<b>Saddle</b>	<b>4.0</b>	<b>88.0</b>	<b>84.0</b>	<b>1.21</b>
Including		11.0	15.0	4.0	5.12
Including		37.0	88.0	51.0	1.52
<b>DDRCCC-23-055</b>	<b>Josephine</b>	<b>42.0</b>	<b>76.4</b>	<b>34.4</b>	<b>0.22</b>
and		121.0	139.0	18.0	0.41
including		123.0	129.0	6.0	0.85
and		242.0	254.0	12.0	0.25
including		242.0	250.0	8.0	0.33
<b>DDRCCC-24-057</b>	<b>Blackjack</b>	<b>7.9</b>	<b>550.2</b>	<b>542.3</b>	<b>0.47</b>
Including		134.0	165.5	31.5	0.41
Including		327.0	518.0	191.0	1.16
Including		419.0	508.0	89.0	2.03
Including		453.4	508.0	54.6	2.54
Including		466.0	470.0	4.0	12.27
<b>DDRCCC-24-058</b>	<b>Blackjack</b>	<b>157.0</b>	<b>508.0</b>	<b>351.0</b>	<b>0.85</b>
Including		354.0	508.0	154.0	1.47
Including		449.0	486.0	37.0	3.07
Including		470.0	478.0	8.0	4.61

Hole ID	Zone	From (m)	To (m)	Length (m)	Au (g/t)
<b>DDRCCC-24-059</b>	<b>Blackjack</b>	<b>12.0</b>	<b>70.0</b>	<b>58.0</b>	<b>0.79</b>
Including		33.0	70.0	37.0	1.11
Including		68.0	70.0	2.0	12.10
<b>DDRCCC-24-060</b>	<b>Blackjack</b>	<b>186.3</b>	<b>197.0</b>	<b>10.7</b>	<b>0.73</b>
Including		246.0	275.0	29.0	1.12
Including		292.8	307.4	14.6	0.48
<b>DDRCCC-24-061</b>	<b>Blackjack</b>	<b>127.5</b>	<b>333.5</b>	<b>206.0</b>	<b>0.64</b>
Including		139.0	166.0	27.0	1.01
Including		139.0	148.8	9.8	1.98
Including		213.0	214.0	1.0	23.70
Including		239.0	256.5	17.5	1.01
Including		275.0	297.5	22.5	0.88
Including		324.5	333.5	9.0	1.45
<b>DDRCCC-24-062</b>	<b>Blackjack</b>	<b>236.0</b>	<b>526.5</b>	<b>290.5</b>	<b>1.10</b>
Including		281.0	371.0	90.0	1.35
Including		421.6	526.5	105.0	1.68
Including		492.0	504.0	12.0	3.71
Including		492.0	526.5	34.5	2.61
Including		492.0	504.0	12.0	3.71
Including		516.5	523.5	7.0	4.41
<b>DDRCCC-24-063</b>	<b>Blackjack</b>	<b>204.6</b>	<b>220.0</b>	<b>15.4</b>	<b>0.34</b>
and		301.7	312.3	10.7	1.03
including		306.2	307.4	1.2	3.52
<b>DDRCCC-24-064</b>	<b>Blackjack</b>	<b>66.0</b>	<b>91.0</b>	<b>25.0</b>	<b>0.34</b>
and		213.0	217.0	4.0	2.35
and		290.0	334.0	44.0	0.48
including		290.0	297.6	7.6	1.12
and		317.0	319.0	2.0	3.10
<b>DDRCCC-24-065</b>	<b>Blackjack</b>	<b>86.0</b>	<b>118.0</b>	<b>32.0</b>	<b>0.35</b>
and		212.0	214.0	2.0	4.25
DDRCCC-24-066	Blackjack	304.5	324.0	19.5	0.28
<b>DDRCCC-24-067</b>	<b>Blackjack</b>	<b>3.1</b>	<b>547.7</b>	<b>544.7</b>	<b>0.30</b>
including		77.0	198.3	121.3	0.33
and		236.3	259.0	22.7	0.43
and		372.0	394.0	22.0	0.39
<b>and</b>		<b>448.5</b>	<b>547.7</b>	<b>99.2</b>	<b>1.01</b>
including		480.8	487.0	6.2	2.85
and		516.6	519.1	2.5	18.36
including		518.0	519.1	1.1	27.40
<b>DDRCCC-24-068</b>	<b>Blackjack</b>	<b>4.4</b>	<b>682.5</b>	<b>678.1</b>	<b>1.04</b>
including		4.4	46.0	41.6	1.39
including		14.0	21.5	7.5	5.94
and		273.0	682.5	409.5	1.36
including		298.0	312.4	14.4	4.36
including		405.6	422.0	16.5	2.53
including		418.7	422.0	3.3	7.47
including		458.0	488.1	30.1	2.29
including		458.0	459.0	1.0	8.54
including		483.0	488.1	5.1	8.67
including		521.0	526.2	5.2	3.15
including		589.5	682.5	93.0	2.57
including		563.0	595.0	32.0	3.50
including		589.5	595.0	5.5	17.59
including		592.5	594.0	1.5	54.80
including		632.0	653.6	21.6	4.14
including		646.0	653.6	7.6	7.08
including		652.0	653.6	1.6	21.40

Hole ID	Zone	From (m)	To (m)	Length (m)	Au (g/t)
including		661.0	664.5	3.5	3.50
including		674.0	682.5	8.5	1.75
<b>DDRCCC-24-069</b>	<b>Blackjack</b>	<b>122.5</b>	<b>126.0</b>	<b>3.5</b>	<b>1.16</b>
and		146.0	148.0	2.0	5.45
<b>DDRCCC-24-070</b>	<b>Blackjack</b>	<b>2.3</b>	<b>82.9</b>	<b>80.6</b>	<b>0.93</b>
Including		2.3	54.5	52.2	1.10
Including		53.0	54.5	1.5	4.84
And		80.2	82.9	2.7	3.24
<b>DDRCCC-24-071</b>	<b>Blackjack</b>	<b>221.4</b>	<b>258.9</b>	<b>37.6</b>	<b>1.56</b>
Including		241.5	256.0	14.5	3.43
Including		241.5	243.0	1.5	9.60
And		254.3	256.0	1.7	17.65
And		491.5	601.5	110.0	0.68
Including		491.5	522.0	30.5	0.71
Including		519.0	522.0	3.0	3.72
And		570.0	601.5	31.5	1.46
Including		588.5	591.0	2.5	5.02
<b>DDRCCC-24-072</b>	<b>Blackjack</b>	<b>13.5</b>	<b>724.0</b>	<b>710.5</b>	<b>0.51</b>
including		19.5	189.5	170.0	0.60
Including		24.0	33.4	9.4	1.17
Including		96.5	98.2	1.7	7.13
Including		164.0	165.3	1.3	14.30
Including		175.0	194.0	19.0	1.15
Including		180.5	186.5	6.0	2.77
Including		314.7	337.0	22.3	1.04
Including		379.3	386.4	7.1	1.47
Including		433.0	518.0	85.0	1.12
Including		539.7	542.0	2.3	6.79
Including		636.5	643.7	7.2	2.96
Including		637.6	638.8	1.2	14.10
Including		677.8	699.5	21.7	0.92
Including		677.8	679.0	1.2	7.77
Including		716.9	724.0	7.1	1.09
<b>DDRCCC-24-073</b>	<b>Pukelman</b>	<b>42.0</b>	<b>88.0</b>	<b>46.0</b>	<b>0.51</b>
including		48.0	59.7	11.7	1.04
including		50.0	50.9	0.9	3.96
including		58.5	59.7	1.2	3.39
And		345.0	362.0	17.0	1.07
Including		351.9	354.1	2.1	3.00
<b>DDRCCC-24-074</b>	<b>Pukelman</b>	<b>53.0</b>	<b>396.0</b>	<b>343.0</b>	<b>0.34</b>
		98.0	141.7	43.8	0.50
		53.0	396.0	343.0	0.34
Including		98.0	107.0	9.1	1.10
And		230.0	260.0	30.0	0.65
Including		230.0	236.0	6.0	1.09
And		250.0	260.0	10.0	1.02
And		278.0	279.5	1.5	3.79
And		321.0	390.0	69.0	0.50
Including		336.0	344.0	8.0	1.08
And		388.0	390.0	2.0	3.18
<b>DDRCCC-25-075</b>	<b>Blackjack</b>	<b>116.3</b>	<b>123.0</b>	<b>6.7</b>	<b>2.21</b>
Including		116.3	117.3	1.0	12.05
<b>And</b>		<b>341.5</b>	<b>694.3</b>	<b>352.8</b>	<b>1.55</b>
Including		469.5	470.5	1.0	8.22
Including		407.0	694.3	287.3	1.80
Including		486.5	487.6	1.1	7.99
Including		409.5	694.3	284.8	1.82

22-Apr

Hole ID	Zone	From (m)	To (m)	Length (m)	Au (g/t)	
Including		409.5	610.3	200.7	2.35	
Including		501.4	610.3	108.9	3.27	
Including		501.4	513.0	11.6	4.44	
Including		504.4	505.4	1.0	8.73	
Including		539.4	584.4	45.0	4.52	
Including		556.4	558.0	1.6	9.71	
Including		648.9	694.3	45.4	0.92	
<b>DDRCCC-25-076</b>	<b>Blackjack</b>	<b>117.2</b>	<b>118.2</b>	<b>1.0</b>	<b>2.40</b>	08-May
and		145.0	147.0	2.0	1.65	
and		437.0	531.0	94.0	1.15	
including		454.4	466.6	12.2	4.55	
and including		454.4	458.0	3.6	2.93	
and including		462.0	464.0	2.0	14.85	
and including		464.0	466.6	2.6	5.55	
and including		476.0	478.0	2.0	3.93	
and including		496.0	508.9	12.9	1.37	
and		580.6	667.0	86.4	1.65	
including		580.6	582.0	1.4	3.72	
and including		594.5	595.6	1.1	13.10	
and including		591.0	616.0	25.0	5.04	
and including		606.0	616.0	10.0	10.75	
and including		612.6	616.0	3.4	29.84	
and including		612.6	614.4	1.8	54.70	
and		806.0	871.0	65.0	2.00	11-Jun
Including		815.0	842.0	27.0	2.67	
Including		817.0	825.0	8.0	4.80	
and		854.0	867.9	13.9	3.31	
Including		859.7	866.0	6.3	5.53	
and		920.0	944.9	24.9	0.49	
including		940.0	944.9	4.9	0.95	
Including		940.0	942.0	2.0	1.57	
<b>DDRCCC-25-077</b>	<b>Blackjack</b>	<b>43.4</b>	<b>44.6</b>	<b>1.2</b>	<b>5.99</b>	26-Jun
and		94.5	96.0	1.5	8.27	
and		202.5	514.0	311.5	0.85	
including		287.0	498.2	211.2	1.13	
including		362.0	498.2	136.2	1.45	
including		425.0	498.2	73.2	2.05	
including		439.0	474.0	35.0	2.75	
including		437.0	440.2	3.2	8.56	
and		461.0	463.0	2.0	24.90	
and		494.0	496.0	2.0	3.63	
and		546.7	549.0	2.4	7.12	
including		546.7	547.8	1.2	9.98	
and		547.8	549.0	1.2	4.48	
<b>DDRCCC-25-078</b>	<b>Eiger</b>	<b>67.0</b>	<b>91.9</b>	<b>24.9</b>	<b>0.58</b>	17-Jul
Including		79.0	91.9	12.9	0.80	
Including		84.0	86.0	2.0	1.59	
<b>DDRCCC-25-079</b>	<b>Eiger</b>	<b>76.0</b>	<b>445.0</b>	<b>369.0</b>	<b>0.46</b>	17-Jul
Including		123.7	137.5	13.8	1.00	
Including		173.8	219.9	46.0	0.99	
Including		215.8	216.6	0.8	18.15	
Including		331.0	350.0	19.0	1.03	
Including		400.0	402.3	2.3	5.36	
<b>DDRCCC-25-080</b>	<b>Blackjack</b>	<b>106.0</b>	<b>108.0</b>	<b>2.0</b>	<b>5.30</b>	17-Jul
And		154.0	155.0	1.0	3.51	
And		168.0	221.0	53.0	0.61	
And		238.4	242.2	3.9	7.01	

Hole ID	Zone	From (m)	To (m)	Length (m)	Au (g/t)	
And		267.3	269.5	2.3	8.71	
And		323.5	327.0	3.5	3.22	
<b>DDRCCC-25-081</b>	<b>Saddle</b>	<b>102.0</b>	<b>144.0</b>	<b>42.0</b>	<b>0.96</b>	17-Jul
Including		102.0	121.5	19.5	1.81	
Including		105.2	107.0	1.8	6.71	
<b>DDRCCC-25-082</b>	<b>Eiger</b>	<b>36.7</b>	<b>38.4</b>	<b>1.7</b>	<b>1.21</b>	17-Jul
And		108.0	110.0	2.0	1.52	
And		186.1	188.0	2.0	1.52	
And		258.0	260.0	2.0	3.64	
And		355.0	367.0	12.0	0.71	
<b>DDRCCC-25-083</b>	<b>Blackjack</b>	<b>116.0</b>	<b>366.7</b>	<b>250.7</b>	<b>0.46</b>	04-Sep
Including		194.0	204.0	10.0	1.98	
Including		221.0	249.0	<b>28.0</b>	<b>0.70</b>	
And		306.0	473.0	<b>167.0</b>	<b>0.70</b>	
incl		306.0	319.0	13.0	1.54	
Including		311.7	313.0	<b>1.3</b>	<b>8.17</b>	
And		362.4	366.7	4.3	2.55	
And		402.0	475.0	<b>73.0</b>	<b>1.06</b>	
Including		434.0	448.3	14.3	2.78	
Including		447.2	448.3	1.1	11.50	
Including		459.5	473.0	13.5	1.34	
<b>DDRCCC-25-084</b>	<b>Saddle</b>	<b>1.5</b>	<b>12.6</b>	<b>11.1</b>	<b>0.92</b>	17-Jul
And		61.0	63.0	2.0	8.43	
And		85.0	109.0	24.0	1.36	
Including		89.7	102.0	12.3	2.36	
<b>DDRCCC-25-085</b>	<b>Saddle</b>	<b>1.5</b>	<b>3.0</b>	<b>1.5</b>	<b>5.85</b>	04-Sep
And		52.5	87.0	34.5	0.77	
Including		52.5	69.5	17.0	1.46	
Including		54.0	62.0	8.0	2.48	
And		135.0	137.0	<b>2.0</b>	<b>4.97</b>	
<b>DDRCCC-25-086</b>	<b>Saddle</b>	<b>1.5</b>	<b>35.9</b>	<b>34.4</b>	<b>1.47</b>	04-Sep
Including		22.0	35.9	13.9	3.42	
Including		22.0	28.0	6.0	6.43	
Including		26.1	28.0	1.9	10.60	
And		89.8	93.9	4.1	1.45	
<b>DDRCCC-25-087</b>	<b>Saddle</b>	<b>3.0</b>	<b>21.0</b>	<b>18.0</b>	<b>1.00</b>	17-Jul
And		33.5	81.0	47.6	2.09	
Including		59.0	81.0	22.0	2.91	
Including		67.0	81.0	14.0	3.78	
Including		73.0	81.0	8.0	5.07	
<b>DDRCCC-25-088</b>	<b>Eiger</b>	<b>9.5</b>	<b>13.6</b>	<b>4.1</b>	<b>0.73</b>	02-Dec
		56.0	58.0	2.0	1.11	
		78.0	100.0	22.0	0.41	
		95.1	97.1	2.0	1.60	
		128.0	130.0	2.0	1.01	
		160.0	183.1	23.1	0.51	
		253.0	255.0	2.0	1.13	
		389.0	391.0	2.0	3.60	
<b>DDRCCC-25-089</b>	<b>Saddle</b>	<b>177.0</b>	<b>179.0</b>	<b>2.0</b>	<b>15.50</b>	04-Sep
And		213.0	245.2	32.2	1.18	
Including		213.0	222.2	9.2	1.57	
And		236.0	240.0	4.0	4.52	
<b>DDRCCC-25-090</b>	<b>Blackjack</b>	<b>3.9</b>	<b>41.0</b>	<b>37.1</b>	<b>0.64</b>	04-Sep
Including		18.0	25.0	<b>7.0</b>	<b>1.41</b>	
<b>DDRCCC-25-091</b>	<b>Blackjack</b>	<b>48.0</b>	<b>49.5</b>	<b>1.5</b>	<b>2.08</b>	04-Sep
And		158.0	160.0	2.0	1.13	
And		169.0	171.0	2.0	1.16	

Hole ID	Zone	From (m)	To (m)	Length (m)	Au (g/t)	
And		187.9	189.0	1.1	2.95	
<b>DDRCCC-25-092</b>	<b>Blackjack</b>	<b>149.0</b>	<b>173.0</b>	<b>24.0</b>	<b>0.59</b>	04-Sep
And		195.8	340.8	145.0	0.92	
Including		195.8	218.0	22.2	1.39	
Including		241.0	243.0	2.0	1.27	
Including		255.5	258.5	3.0	1.61	
Including		299.0	306.5	7.5	1.42	
Including		319.0	340.8	21.8	3.21	
Including		325.3	340.8	15.5	4.22	
And		394.0	396.0	2.0	1.69	
And		437.0	444.0	7.0	1.48	
<b>DDRCCC-25-093</b>	<b>Saddle</b>	<b>3.0</b>	<b>30.7</b>	<b>27.7</b>	<b>1.90</b>	04-Sep
including		3.0	7.0	4.0	7.80	
<b>DDRCCC-25-094</b>	<b>Eiger</b>	<b>221.0</b>	<b>223.0</b>	<b>2.0</b>	<b>1.26</b>	02-Dec
		329.0	331.0	2.0	1.17	
<b>DDRCCC-25-095</b>	<b>Blackjack</b>	<b>12.2</b>	<b>16.8</b>	<b>4.6</b>	<b>0.55</b>	25-Nov
And		141	181	40	0.52	
Including		145	156.2	11.2	1.1	
And		210	214	4	2.01	
And		230	231	1	1.34	
And		250	251	1	1.76	
And		268.2	280	11.8	1.67	
Including		271	272	1	11.85	
And		303.9	310.9	7	7.63	
Including		305.1	305.7	0.6	23.3	
And		403	423	20	1.01	
And		416	420	4	3.22	
<b>DDRCCC-25-096</b>	<b>Saddle</b>	<b>2.3</b>	<b>29.0</b>	<b>26.7</b>	<b>1.82</b>	04-Sep
including		12.0	16.0	4.0	3.20	
<b>DDRCCC-25-097</b>	<b>Eiger</b>	<b>62</b>	<b>436.0</b>	<b>374.0</b>	<b>0.33</b>	02-Dec
		62	74.0	12.0	0.56	
		100.0	124.0	24.0	1.62	
		204.5	228.0	23.5	0.73	
		206.0	208.0	2.0	2.45	
		218.0	220.0	2.0	2.43	
		272.6	284.0	11.5	1.26	
		281.7	283.4	1.8	4.67	
		399.4	400.2	0.8	2.37	
		432.0	436.0	4.0	1.26	
<b>DDRCCC-25-098</b>	<b>Saddle</b>	<b>29</b>	<b>41</b>	<b>12</b>	<b>0.87</b>	25-Nov
Including		29	31	2	1.89	
Including		39	41	2	2.51	
And		142	146	4	3.9	
<b>DDRCCC-25-099</b>	<b>Blackjack</b>	<b>327</b>	<b>637</b>	<b>310</b>	<b>0.61</b>	25-Nov
Including		345	371.8	26.8	1.04	
Including		391.6	393	1.4	1.19	
Including		397	399	2	1.03	
Including		411	413.2	2.2	2	
Including		427	429	2	1.57	
Including		444	448	4	1.99	
Including		456.5	458.5	2	3.11	
Including		484	517.4	33.4	2.4	
Including		499.9	510	10.2	6.15	
Including		505	506.5	1.6	26.9	
<b>DDRCCC-25-100</b>	<b>Saddle</b>	<b>19</b>	<b>50</b>	<b>31</b>	<b>0.53</b>	25-Nov
Including		23	25	2	2.42	
Including		36	38	2	1.53	

Hole ID	Zone	From (m)	To (m)	Length (m)	Au (g/t)	
Including		44	45.7	1.7	1.28	
And		215	217	2	1.46	
And		263	265	2	1.61	
And		286	288	2	1.7	
<b>DDRCCC-25-101</b>	<b>Eiger</b>	<b>188.0</b>	<b>533.0</b>	<b>345.0</b>	<b>0.31</b>	02-Dec
		279.0	352.0	73.0	0.55	
		338.0	346.0	8.0	1.52	
		420.0	425.0	5.0	1.40	
		423.7	425.0	1.3	3.99	
<b>DDRCCC-25-102</b>	<b>Blackjack</b>	<b>370.3</b>	<b>562</b>	<b>191.8</b>	<b>0.65</b>	25-Nov
Including		370.3	379	8.8	1.16	
Including		389	390.3	1.3	3.81	
Including		403	411	8	1.18	
Including		433	457.3	24.3	2.33	
Including		439	445	6	6.45	
Including		441	443	2	9.01	
Including		480	483	3	1.19	
Including		489	490.2	1.2	2.53	
Including		523	524.6	1.6	1.71	
Including		530	532	2	1.26	
Including		547.2	549	1.8	2.73	
<b>DDRCCC-25-103</b>	<b>Eiger</b>	<b>272.5</b>	<b>273.3</b>	<b>0.8</b>	<b>1.63</b>	02-Dec
<b>DDRCCC-25-104</b>	<b>Saddle</b>	<b>4.6</b>	<b>49</b>	<b>44.4</b>	<b>1.33</b>	25-Nov
And		20	30	10	2.14	
Including		24	26	2	3.86	
And		272.5	273.3	0.8	1.63	
<b>DDRCCC-25-105</b>	<b>Blackjack</b>	<b>94.9</b>	<b>97</b>	<b>2.1</b>	<b>1.12</b>	25-Nov
And		274.5	276.6	2.1	2.4	
<b>DDRCCC-25-106</b>	<b>Eiger</b>	<b>205.0</b>	<b>390.0</b>	<b>185.0</b>	<b>0.41</b>	
		205.0	242.0	37.0	0.52	
		205.0	206.0	1.0	2.42	
		212.5	214.0	1.5	1.12	
		238.0	240.0	2.0	1.17	
		288.0	290.0	2.0	1.25	
		363.0	365.0	2.0	2.91	
		507.0	509.0	2.0	1.27	
<b>DDRCCC-25-107</b>	<b>Blackjack</b>	<b>18.3</b>	<b>19.8</b>	<b>1.5</b>	<b>1.09</b>	25-Nov
And		52	53.5	1.5	5.97	
And		294	296	2	1.37	
And		345.3	346.5	1.2	2.1	
<b>DDRCCC-25-108</b>	<b>Blackjack South</b>	<b>114</b>	<b>150</b>	<b>36</b>	<b>0.3</b>	25-Nov
And		346	348	2	1.02	
<b>DDRCCC-25-109</b>	<b>Eiger</b>	<b>224.5</b>	<b>474.4</b>	<b>249.9</b>	<b>0.57</b>	02-Dec
		224.5	226.0	1.5	1.45	
		248.0	369.0	121.0	0.75	
		325.0	351.0	26.0	1.28	
		331.0	339.0	8.0	2.60	
		337.0	339.0	2.0	7.09	
		472.1	473.7	1.6	14.55	
<b>DDRCCC-25-110</b>	<b>Blackjack South</b>	<b>152</b>	<b>196.5</b>	<b>44.5</b>	<b>0.7</b>	25-Nov
Including		152	160.8	8.8	1.18	
Including		168	170	2	4.07	
Including		188	192	4	1.47	
<b>DDRCCC-25-111</b>	<b>Contact</b>	<b>295.0</b>	<b>315.0</b>	<b>20.0</b>	<b>0.54</b>	12-Nov
Including		295.0	297.0	2.0	3.68	
<b>DDRCCC-25-112</b>	<b>Contact</b>	<b>90.0</b>	<b>313.9</b>	<b>223.9</b>	<b>0.34</b>	12-Nov
Including		94.0	96.0	2.0	1.10	

Hole ID	Zone	From (m)	To (m)	Length (m)	Au (g/t)	
Including		121.0	133.0	12.0	0.68	
Including		119.0	125.0	6.0	1.17	
Including		182.0	193.0	11.0	1.06	
Including		189.0	191.0	2.0	3.89	
Including		243.0	245.0	2.0	1.67	
Including		279.0	283.0	4.0	1.39	
Including		289.0	295.0	6.0	1.26	
Including		311.0	313.9	2.9	1.16	
<b>DDRCCC-25-113</b>	<b>Contact</b>	<b>15.0</b>	<b>134.0</b>	<b>119.0</b>	<b>1.01</b>	12-Nov
Including		15.0	114.0	99.0	1.19	
Including		24.3	35.0	10.7	4.10	
Including		24.3	30.0	5.7	7.12	
Including		24.3	26.5	2.2	16.00	
Including		24.3	25.5	1.2	24.80	
Including		72.8	74.0	1.2	12.25	
Including		94.0	114.0	20.0	1.50	
Including		102.1	106.0	3.9	5.51	
Including		102.1	104.0	1.9	8.93	
<b>DDRCCC-25-114</b>	<b>Contact</b>	<b>90.6</b>	<b>92.0</b>	<b>1.5</b>	<b>1.30</b>	19-Jan
And		114.0	116.0	2.0	1.20	
And		195.0	197.0	2.0	1.40	
And		236.0	243.0	7.0	2.10	
Including		236.0	238.0	2.0	6.60	
And		247.0	253.0	6.0	1.10	
And		295.0	297.0	2.0	1.60	
<b>DDRCCC-25-115</b>	<b>Contact</b>	<b>22.0</b>	<b>59.0</b>	<b>37.0</b>	<b>1.10</b>	19-Jan
Including		30.0	44.0	14.0	2.40	
Including		36.0	40.5	4.5	6.10	
Including		39.4	40.5	1.1	22.10	
And		90.0	92.0	2.0	1.30	
And		170.0	175.6	5.6	2.00	
And		293.0	297.1	4.1	1.10	
And		317.8	321.7	3.9	1.00	
And		338.0	340.0	2.0	1.40	
<b>DDRCCC-25-116</b>	<b>Contact</b>	<b>254.0</b>	<b>273.0</b>	<b>19.0</b>	<b>0.70</b>	19-Jan
Including		259.0	264.0	5.0	1.20	
<b>DDRCCC-25-117</b>	<b>Bear Paw</b>	<b>6.9</b>	<b>9.0</b>	<b>2.1</b>	<b>1.30</b>	19-Jan
And		57.7	98.0	40.3	0.71	
Including		65.0	86.0	21.0	1.05	
Including		72.4	96.0	23.6	0.99	
Including		76.0	86.0	10.0	1.64	
Including		76.0	79.5	3.5	2.29	
<b>DDRCCC-25-118</b>	<b>Pukelman</b>	<b>3.7</b>	<b>97.0</b>	<b>93.3</b>	<b>0.50</b>	19-Jan
Including		32.0	34.0	2.0	1.10	
Including		38.0	40.0	2.0	1.00	
And		68.0	91.6	23.6	1.00	
Including		68.0	71.5	3.5	2.90	
And		114.0	116.0	2.0	5.00	
And		170.0	172.0	2.0	2.20	
And		284.0	286.0	2.0	1.00	
<b>DDRCCC-25-119</b>	<b>Pukelman</b>	<b>108.5</b>	<b>111.5</b>	<b>3.0</b>	<b>9.20</b>	19-Jan
		110.5	111.5	1.0	22.80	
<b>DDRCCC-25-120</b>	<b>Pukelman</b>	<b>20.7</b>	<b>22.0</b>	<b>1.3</b>	<b>1.20</b>	19-Jan
		65.6	68.0	2.4	1.10	
		125.0	127.0	2.0	3.10	
<b>DDRCRG-24-001</b>	<b>Rhosgobel</b>	<b>9.1</b>	<b>173.9</b>	<b>164.8</b>	<b>0.82</b>	
Including		30.0	149.0	119.0	1.05	

Hole ID	Zone	From (m)	To (m)	Length (m)	Au (g/t)	
including		98.5	136.4	37.9	2.05	
including		98.5	110.0	11.5	4.32	
including		102.0	103.7	1.7	16.25	
<b>DDRCRG-24-002</b>	<b>Rhosgobel</b>	<b>5.5</b>	<b>307.6</b>	<b>302.1</b>	<b>0.43</b>	
including		97.0	270.3	173.3	0.60	
Including		105.0	133.4	28.4	1.37	
Including		121.0	133.4	12.4	2.43	
Including		167.1	184.5	17.4	1.12	
Including		228.8	236.5	7.7	1.19	
Including		228.8	229.7	0.9	5.45	
Including		269.2	270.3	1.1	8.99	
<b>DDRCRG-25-003</b>	<b>Rhosgobel</b>	<b>3.0</b>	<b>155.1</b>	<b>152.1</b>	<b>1.00</b>	05-Aug
Including		3.0	49.0	46.0	0.76	
Including		81.0	155.1	74.1	1.47	
Including		81.0	98.0	17.0	2.88	
including		89.0	98.0	9.0	4.23	
Including		96.0	98.0	2.0	9.19	
including		113.0	123.0	10.0	2.75	
Including		113.0	127.0	14.0	2.27	
And		226.0	232.0	6.0	0.58	
<b>DDRCRG-25-004</b>	<b>Rhosgobel</b>	<b>3.1</b>	<b>243.0</b>	<b>239.9</b>	<b>0.60</b>	12-Aug
Including		3.1	23.1	20.0	1.02	
Including		100.0	118.0	18.0	1.36	
Including		138.9	152.9	14.1	1.06	
And		163.0	183.0	20.0	0.54	
And		188.5	194.0	5.5	0.45	
And		207.1	315.2	108.1	0.51	
Including		207.1	243.0	35.9	0.96	
Including		207.1	213.6	6.5	2.48	
Including		226.0	228.0	2.0	2.19	
Including		233.3	241.0	7.7	1.11	
And		260.0	262.1	2.1	3.18	
And		313.0	315.2	2.2	1.01	
<b>DDRCRG-25-005</b>	<b>Rhosgobel</b>	<b>4.2</b>	<b>119.0</b>	<b>114.8</b>	<b>1.11</b>	05-Aug
including		4.2	19.0	14.9	3.28	
and including		41.0	49.6	8.6	3.50	
and including		12.0	14.3	2.3	12.20	
<b>DDRCRG-25-006</b>	<b>Rhosgobel</b>	<b>3.1</b>	<b>169.0</b>	<b>166.0</b>	<b>1.14</b>	12-Aug
Including		13.0	21.0	8.0	4.86	
Including		69.0	87.0	18.0	1.91	
Including		106.0	113.0	7.0	3.16	
Including		135.0	136.6	1.6	13.00	
And		221.0	223.0	2.0	1.08	
And		235.5	237.0	1.5	1.32	
<b>DDRCRG-25-007</b>	<b>Rhosgobel</b>	<b>5.0</b>	<b>252.0</b>	<b>247.0</b>	<b>0.76</b>	08-Sep
Including		5.0	167.0	162.0	1.02	
Including		90.0	196.0	106.0	1.21	
Including		96.0	167.0	71.0	1.57	
Including		90.0	109.1	19.1	2.02	
Including		103.5	109.1	5.6	4.28	
Including		131.0	149.0	18.0	2.31	
<b>DDRCRG-25-008</b>	<b>Rhosgobel</b>	<b>28.0</b>	<b>256.0</b>	<b>228.0</b>	<b>0.95</b>	08-Sep
Including		28.0	196.0	168.0	1.00	
Including		35.0	47.7	12.7	1.80	
Including		139.0	151.0	12.0	2.37	
Including		139.0	140.0	1.0	9.29	
Including		163.8	167.2	3.5	4.54	

Hole ID	Zone	From (m)	To (m)	Length (m)	Au (g/t)	
Including		202.5	206.0	3.5	3.38	
Including		254.0	256.0	2.0	3.77	
<b>DDRCRG-25-009</b>	<b>Rhosgobel</b>	<b>5.4</b>	<b>181.0</b>	<b>175.6</b>	<b>0.79</b>	18-Sep
Including		5.4	124.0	118.6	1.09	
Including		12.0	27.0	15.0	1.78	
Including		33.0	47.0	14.0	3.34	
Including		67.8	69.6	1.8	6.32	
Including		79.8	80.9	1.1	8.60	
Including		96.0	98.0	2.0	1.05	
Including		122.0	124.0	2.0	1.21	
<b>DDRCRG-25-010</b>	<b>Rhosgobel</b>	<b>5.0</b>	<b>240.5</b>	<b>235.9</b>	<b>1.11</b>	18-Sep
Including		34.0	36.0	2.0	8.36	
Including		61.0	101.0	40.0	2.01	
Including		69.1	82.2	13.2	4.16	
Including		208.0	218.0	10.0	5.29	
Including		212.0	214.1	2.1	14.00	
<b>DDRCRG-25-011</b>	<b>Rhosgobel</b>	<b>70.9</b>	<b>197.0</b>	<b>126.1</b>	<b>0.89</b>	06-Nov
Including		83.0	188.9	105.9	0.98	
Including		83.0	111.0	28.0	1.14	
Including		120.5	148.4	28.0	1.01	
Including		130.0	197.0	67.0	1.02	
Including		165.7	188.9	23.2	1.41	
<b>DDRCRG-25-012</b>	<b>Rhosgobel</b>	<b>175.0</b>	<b>417.6</b>	<b>242.6</b>	<b>0.48</b>	06-Nov
Including		63.5	81.0	17.5	0.71	
Including		181.9	184.0	2.1	1.22	
Including		218.0	250.0	32.0	0.73	
Including		272.0	322.0	50.0	1.00	
Including		280.0	300.0	20.0	1.83	
Including		280.0	282.0	2.0	11.60	
Including		298.5	300.0	1.5	4.13	
Including		336.0	338.0	2.0	1.76	
Including		354.0	355.9	1.9	1.74	
Including		414.0	417.6	3.6	1.48	
<b>DDRCRG-25-013</b>	<b>Rhosgobel</b>	<b>26.0</b>	<b>113.0</b>	<b>87.0</b>	<b>0.52</b>	06-Nov
Including		36.0	38.0	2.0	2.51	
Including		48.0	50.0	2.0	2.45	
Including		103.0	105.0	2.0	1.43	
<b>DDRCRG-25-014</b>	<b>Rhosgobel</b>	<b>11.0</b>	<b>118.9</b>	<b>107.9</b>	<b>1.01</b>	06-Nov
Including		41.0	42.5	1.5	4.86	
Including		61.0	63.0	2.0	4.25	
Including		81.0	118.9	37.9	1.41	
Including		95.5	97.5	2.0	5.86	
<b>DDRCRG-25-015</b>	<b>Rhosgobel</b>	<b>8.0</b>	<b>262.0</b>	<b>254.0</b>	<b>0.40</b>	06-Nov
Including		20.0	22.0	2.0	2.14	
Including		48.0	85.0	37.0	1.03	
Including		139.0	141.0	2.0	3.98	
Including		195.0	197.0	2.0	1.27	
Including		223.0	224.7	1.7	1.69	
Including		240.0	242.0	2.0	1.22	
Including		261.1	262.0	0.9	2.15	
<b>DDRCRG-25-016</b>	<b>Rhosgobel</b>	<b>13.0</b>	<b>167.0</b>	<b>154.0</b>	<b>0.71</b>	06-Nov
Including		26.0	39.0	13.0	1.00	
Including		53.0	55.0	2.0	1.17	
Including		63.0	65.0	2.0	1.20	
Including		73.0	75.0	2.0	1.74	
Including		79.0	81.0	2.0	1.24	
Including		90.5	158.0	67.5	1.03	

Hole ID	Zone	From (m)	To (m)	Length (m)	Au (g/t)	
<b>DDRCRG-25-017</b>	<b>Rhosgobel</b>	<b>10.9</b>	<b>307.9</b>	<b>297.0</b>	<b>0.61</b>	06-Nov
Including		22.0	50.0	28.0	0.72	
Including		30.0	32.0	2.0	3.41	
Including		83.0	85.0	2.0	1.13	
Including		96.5	97.8	1.3	1.25	
Including		107.0	109.0	2.0	1.54	
Including		123.0	151.5	28.5	2.20	
Including		123.0	131.0	8.0	1.70	
Including		147.2	148.5	1.3	32.10	
Including		175.0	176.5	1.5	1.52	
Including		215.0	218.0	3.0	2.80	
Including		244.0	246.0	2.0	12.90	
Including		269.0	277.9	8.9	1.12	
Including		276.5	277.9	1.4	3.17	
<b>DDRCRG-25-018</b>	<b>Rhosgobel</b>	<b>54.9</b>	<b>112.5</b>	<b>57.7</b>	<b>0.50</b>	Jan 6-26
Including		85.0	102.0	17.0	1.05	
And		383.5	384.9	1.4	1.14	
<b>DDRCRG-25-019</b>	<b>Rhosgobel</b>	<b>6.0</b>	<b>132.0</b>	<b>126.0</b>	<b>0.93</b>	Jan 6-26
Including		22.0	132.0	110.0	1.01	
Including		53.0	57.0	4.0	2.99	
Including		100.0	115.3	15.3	3.41	
Including		110.0	113.4	3.4	7.71	
<b>DDRCRG-25-020</b>	<b>Rhosgobel</b>	<b>10.3</b>	<b>102.0</b>	<b>91.8</b>	<b>0.90</b>	Jan 6-26
Including		10.3	35.0	24.8	0.93	
Including		57.0	102.0	45.0	1.18	
Including		80.0	102.0	22.0	1.57	
Including		90.0	92.0	2.0	5.58	
<b>DDRCRG-25-021</b>	<b>Rhosgobel</b>	<b>30.0</b>	<b>31.5</b>	<b>1.5</b>	<b>1.14</b>	Jan 6-26
And		41.0	43.0	2.0	3.11	
And		53.0	63.0	10.0	1.12	
And		153.0	200.0	47.0	1.00	
Including		157.0	165.0	8.0	1.08	
And		171.0	204.0	33.0	1.07	
Including		198.0	200.0	2.0	6.16	
<b>DDRCRG-25-022</b>	<b>Rhosgobel</b>	<b>18.4</b>	<b>118.8</b>	<b>1.04.0</b>	<b>0.70</b>	Jan 6-26
Including		50.0	84.0	34.0	1.23	
Including		58.0	60.0	2.0	3.58	
Including		68.0	74.0	6.0	2.32	
Including		104.0	106.0	2.0	2.23	
And		132.0	134.0	2.0	1.02	
<b>DDRCRG-25-023</b>	<b>Rhosgobel</b>	<b>44.0</b>	<b>46.0</b>	<b>2.0</b>	<b>1.40</b>	Jan 6-26
Including		66.0	68.0	2.0	2.74	
And		214.0	216.0	2.0	1.52	
And		287.0	289.0	2.0	3.31	
And		305.0	307.0	2.0	1.82	
And		354.0	358.0	4.0	2.67	
And		391.0	395.0	4.0	1.14	
And		409.0	411.0	2.0	2.28	
<b>DDRCRG-25-024</b>	<b>Rhosgobel</b>	<b>21.3</b>	<b>168.0</b>	<b>146.7</b>	<b>1.05</b>	Jan 6-26
Including		25.0	37.0	12.0	3.89	
Including		25.0	28.0	3.0	8.67	
Including		36.0	37.0	1.0	12.40	
Including		78.2	80.5	2.3	3.38	
Including		107.6	108.8	1.2	3.66	
And		137.0	139.0	2.0	4.95	
<b>DDRCRG-25-025</b>	<b>Rhosgobel</b>	<b>17.8</b>	<b>20.0</b>	<b>2.2</b>	<b>1.34</b>	Jan 6-26
And		63.6	65.0	1.4	1.33	

Hole ID	Zone	From (m)	To (m)	Length (m)	Au (g/t)	
And		193.0	199.0	6.0	1.43	
And		320.0	322.0	2.0	1.08	
And		361.0	363.0	2.0	2.49	
And		377.0	379.0	2.0	1.89	
<b>DDRCRG-25-026</b>	<b>Rhosgobel</b>	<b>5.8</b>	<b>81.0</b>	<b>75.2</b>	<b>1.04</b>	Jan 6-26
Including		29.0	54.0	25.0	2.08	
Including		29.0	45.0	16.0	2.44	
And		87.0	89.0	2.0	1.71	
<b>DDRCRG-25-027</b>	<b>Rhosgobel</b>	<b>93.0</b>	<b>249.9</b>	<b>156.9</b>	<b>1.00</b>	Jan 6-26
Including		142.0	236.0	94.0	1.41	
Including		174.0	212.0	38.0	2.03	
Including		186.0	192.0	6.0	7.58	
Including		188.0	190.0	2.0	19.30	
And		296.7	313.3	16.6	0.54	
<b>DDRCRG-25-028</b>	<b>Rhosgobel</b>	<b>9.1</b>	<b>181.0</b>	<b>171.9</b>	<b>0.50</b>	Jan 6-26
Including		9.1	36.0	26.9	1.01	
Including		52.0	61.5	9.5	1.02	
Including		83.1	84.7	1.6	1.67	
Including		133.1	139.0	5.9	1.06	
Including		147.1	153.0	5.9	1.40	
Including		173.0	175.0	2.0	1.10	
Including		173.0	181.0	8.0	0.80	
<b>DDRCRG-25-029</b>	<b>Rhosgobel</b>	<b>19.8</b>	<b>118.9</b>	<b>99.1</b>	<b>1.33</b>	Jan 6-26
including		28	29.2	1.2	5.62	
including		42	118.9	76.9	1.53	
including		58.9	61	2.1	8.44	
including		58.9	106.1	47.2	2.04	
including		83	85	2	6.71	
including		96.7	102	5.3	4.84	
<b>DDRCRG-25-030</b>	<b>Rhosgobel</b>	<b>108</b>	<b>110</b>	<b>2</b>	<b>1.78</b>	Jan 6-26
and		123	125	2	1.2	
<b>DDRCRG-25-031</b>	<b>Rhosgobel</b>	<b>18.3</b>	<b>97.3</b>	<b>79</b>	<b>0.5</b>	Jan 6-26
including		18.3	20	1.7	1.28	
including		28.1	32	3.9	1.29	
including		34	38	4	1.04	
including		56	62	6	1.05	
including		86.5	88.5	1.9	1.72	
and		335	394	59	1.02	
including		376	394	18	2.29	
including		384.1	388.1	4.1	7.29	
including		386.1	388.1	2	11.55	
and		412.6	415	2.4	2.47	
<b>DDRCRG-25-032</b>	<b>Rhosgobel</b>	<b>15</b>	<b>20.9</b>	<b>5.9</b>	<b>1.31</b>	Jan 6-26
and		41	46.8	5.8	1.08	
and		103.5	105.4	2	1.87	
and		137.2	147	9.8	0.97	
and		164.7	278	113.2	1.07	
and		312	314	2	1.48	
and		349	351	2	1.47	
<b>DDRCRG-25-033</b>	<b>Rhosgobel</b>	<b>15.8</b>	<b>166</b>	<b>150.3</b>	<b>1.49</b>	Jan 6-26
including		15.8	21	5.3	13.65	
including		15.8	17.4	1.7	26.7	
including		74.5	76.2	1.7	7.07	
including		100	110.1	10.1	5.25	
including		100	102	2	12.7	
including		157	166	9	0.91	
<b>DDRCRG-25-034</b>	<b>Rhosgobel</b>	<b>12.2</b>	<b>82</b>	<b>69.8</b>	<b>0.48</b>	Jan 6-26

Hole ID	Zone	From (m)	To (m)	Length (m)	Au (g/t)	
including		16	18	2.1	1.23	
including		58	60	2	1.06	
including		64.2	66	1.8	1.81	
and		113	115	2	1.75	
<b>DDRCRG-25-035</b>	<b>Rhosgobel</b>	11	13	2	1.18	Jan 6-26
and		31	33	2	1.22	
and		81	82.4	1.4	1.04	
and		84	85.6	1.6	1.23	
and		113	134	<b>21</b>	<b>1.02</b>	
including		128	130	2	4.76	
and		231	232.5	1.5	1.55	
and		235.5	237.5	2	2.13	
and		251	254.5	3.5	1.25	
and		266	269	3	2.29	
and		274	276	2	1.3	
<b>DDRCRG-25-036</b>	<b>Rhosgobel</b>	<b>16.7</b>	<b>201</b>	<b>184.3</b>	<b>0.51</b>	Jan 6-26
including		21	26.5	5.5	1.22	
including		30.3	42.9	12.7	1.18	
including		79	87	8	1.05	
including		117.5	119.2	1.7	1.01	
including		124.1	126	1.9	1.24	
including		140	156.5	16.5	1.01	
including		181	183	2	1.08	
including		187.1	189	1.9	1.05	
and		244.6	254	9.4	1.03	
<b>DDRCRG-25-037</b>	<b>Rhosgobel</b>	<b>16.6</b>	<b>50</b>	<b>33.5</b>	<b>1.43</b>	Jan 6-26
and		66	68	2	1.26	
and		73.8	76	2.2	1.06	
and		80	82	2	1.09	
and		96	98	2	1.41	
and		123.4	125	1.6	1.79	
and		212	214	2	1.16	
<b>DDRCRG-25-038</b>	<b>Rhosgobel</b>	<b>141.5</b>	<b>143.3</b>	<b>1.8</b>	<b>5.25</b>	Jan 6-26
and		161.1	163.1	2	2.87	
<b>DDRCRG-25-039</b>	<b>Rhosgobel</b>	<b>53</b>	<b>59</b>	<b>6</b>	<b>1.15</b>	Jan 6-26
and		65	70	5	1.15	
and		100.2	102	1.9	1.01	
and		133	137.1	4.1	1.13	
and		223	228	5	1.06	
<b>DDRCRG-25-040</b>	<b>Rhosgobel</b>	<b>87</b>	<b>280</b>	<b>193</b>	<b>0.5</b>	Jan 6-26
including		148	164	16	1.08	
including		148	206	<b>58</b>	<b>1.08</b>	
including		179	181	<b>2</b>	<b>3.61</b>	
including		189	195	6	3.15	
including		204.2	206	1.8	3.69	
including		248.1	251	2.9	1.01	
<b>DDRCRG-25-041</b>	<b>Rhosgobel</b>	<b>28</b>	<b>159.7</b>	<b>131.7</b>	<b>0.5</b>	Jan 6-26
including		30	38	8	1.04	
including		52	56	4	0.99	
including		62	66	4	1.05	
including		90	92	2	1.23	
including		109	111	2	1.36	
including		119	120.8	1.8	1.43	
including		135	142.5	7.5	1.21	
and		277	279	2	1.1	
<b>DDRCRG-25-042</b>	<b>Rhosgobel</b>	<b>175</b>	<b>176.9</b>	<b>1.9</b>	<b>1.14</b>	Jan 6-26
and		196	209.2	13.2	1.3	

Hole ID	Zone	From (m)	To (m)	Length (m)	Au (g/t)
including		198	200	2	3.17
including		205.6	207	1.4	4.05
and		310.9	312.9	2	1.6
and		325.1	329	3.9	1.59
<b>DDRCRG-25-043</b>	<b>Rhosgobel</b>	<b>74</b>	<b>159</b>	<b>85</b>	<b>0.48</b>
including		74	80	6	1.07
including		147	159	12	1.09
and		183.5	185.1	1.6	1.25
and		202	205.3	3.3	1.06

Jan 6-26