

SITKA GOLD CORP

NEWS RELEASE

July 13, 2026
NR 26-18

www.sitkagoldcorp.com

SITKA DRILLS 164.0 METRES OF 1.83 G/T GOLD INCLUDING 45.0 METRES OF 3.49 G/T GOLD AND 2.0 METRES OF 15.35 G/T GOLD AT THE RC GOLD PROJECT, YUKON

- Sitka reports results for additional diamond drill holes; **continues to intercept broad intervals of high-grade gold mineralization in step out drilling** at the Blackjack deposit
 - Drill hole DDRCCC-26-128 returned **348.0 m of 1.12 g/t Au**, including **164.0 m of 1.83 g/t Au, 45.0 m of 3.49 g/t Au, 2.0 m of 15.35 g/t Au** and **2.0 m of 13.65 g/t Au** at Blackjack
- First seven holes received of the 30,000 m of drilling allocated to Rhosgobel this year **continue to expand the Rhosgobel deposit** with intervals of higher grade mineralization within broad zones of mineralized quartz monzonite
 - Drill hole DDRCRG-26-049 returned **74.8 m of 0.91 g/t Au**, including **56.1 m of 1.12 g/t and 3.4 m of 4.01 g/t Au** at Rhosgobel
 - Drill hole DDRCRG-26-044 returned **11.4 m of 1.00 g/t Au**, and **28.1 m of 1.08 g/t Au** including **7.3 m of 2.87 g/t Au** at Rhosgobel

- **Six drill rigs are currently turning** on the Project at Blackjack, Saddle, Eiger, and Rhosgobel
- Approximately 24,000 m **of diamond drilling has been completed to date this year** in 47 drill holes across the Blackjack and Rhosgobel deposits as part of the ongoing 60,000 m drill program planned for 2026

VANCOUVER, CANADA – July 13, 2026: Sitka Gold Corp. (“Sitka” or the “Company”) (TSX-V:SIG) (FSE:1RF) (OTCQX:SITKF) is pleased to announce assay results from drill hole DDRCCC-26-128 completed at Blackjack and the first seven drill holes received during its 2026 exploration campaign at the Rhosgobel deposit and to provide an update on the 60,000 metre diamond drilling program currently underway at its 100% owned, road accessible RC Gold Project (“RC Gold” or the “Project”) in Canada’s Yukon Territory. These results continue to expand the high-grade gold zone at the Blackjack deposit (see Figures 1 and 2) and continue to expand the mineralized envelope at the Rhosgobel deposit (see Figures 3 through 5). Assays are currently pending for all remaining holes that have been completed to date this year.

Table 1: Assay highlights for this release (see Table 2 for details)

Hole ID	Zone	From (m)	To (m)*	Length (m)	Au (g/t)
DDRCCC-26-128	Blackjack	156.0	504.0	348.0	1.12
including		273.0	275.0	2.0	13.65
including		340.0	504.0	164.0	1.83
including		374.0	376.0	2.0	15.35
including		459.0	504.0	45.0	3.49
DDRCRG-26-044	Rhosgobel	227.2	238.6	11.4	1.00
and		276.8	305.0	28.1	1.08
including		276.8	284.1	7.3	2.87
DDRCRG-26-046	Rhosgobel	328.0	338.5	10.5	1.28
DDRCRG-26-047	Rhosgobel	279.5	303.2	23.7	1.02
DDRCRG-26-049	Rhosgobel	314.3	389.0	74.8	0.91
including	Rhosgobel	314.3	370.3	56.1	1.12
including	Rhosgobel	329.6	333.0	3.4	4.01
DDRCRG-26-050	Rhosgobel	231.8	243.0	11.2	0.90
DDRCRG-26-051	Rhosgobel	486.0	495.0	9.0	1.64

**Intervals are drilled core length, as insufficient drilling has been completed at this time to determine true widths. Intervals may not sum to total due to rounding.*

"These latest drill results continue to demonstrate the exceptional scale, continuity and growth potential of the RC Gold Project," said Cor Coe, Director and CEO of Sitka Gold Corp. "At Blackjack, hole 128 has delivered another strong intercept, including 164.0 metres grading 1.83 g/t gold with a particularly impressive higher-grade interval of 45.0 metres grading 3.49 g/t gold. Results like these continue to strengthen our confidence that the Blackjack deposit remains open and has significant potential for further expansion.

"At the same time, the first seven holes received from the 30,000 metres of drilling allocated to Rhosgobel this year continue to validate and expand what is already one of Canada's newest multi-million-ounce gold discoveries. The broad mineralized intervals we are intersecting, along with localized higher-grade zones and encouraging tungsten values, reinforce our belief that Rhosgobel has the potential to become an increasingly important component of the RC Gold Project.

“With approximately 24,000 metres completed and six drill rigs currently operating across Blackjack, Rhosgobel, Saddle and Eiger, we are just beginning to unlock the full potential of this year's 60,000 metre drill program. We look forward to a steady stream of assay results as we continue expanding our existing deposits while testing several additional high-priority targets across the district-scale RC Gold Project.”




Figure 1: Plan map of drilling completed at the Blackjack deposit, highlighting results from drill holes reported in this news release.




Figure 2: Cross section of drill hole DDRCCC-26-128.




Figure 3: Plan map of drilling completed at the Rhosgobel deposit, highlighting results from drill holes reported in this news release.




Figure 4: Cross section of DDRCRG-26-044.




Figure 5: Cross section of DDRCRG-26-046 and DDRCRG-26-049.




Figure 6: Examples of visible gold observed in DDRCCC-26-128 (top row) and DDRCCC-26-129 (bottom row) from Blackjack.




Figure 7: Examples of visible gold observed in DDRCRG-26-044/045 (top row) and DDRCRG-26-048/050 (bottom row) from Rhosgobel.

The 2026 drill program continues to successfully intersect broad zones of Reduced Intrusion-Related Gold (RIRG) mineralization at the Blackjack and Rhosgobel deposits and continues to expand and define the known gold mineralization at each area. Visible gold* has been observed associated with the RIRG mineralization in all but one drill hole at both targets. The program will continue to define these broad zones of mineralization as well as target new zones of previously defined mineralization such as the Pukelman/Contact zones, Saddle zone and Bear Paw Breccia zone.

* While visible gold observations are very encouraging and confirm the presence of gold mineralization, they are not intended to imply potential gold grades. Gold assays will be published after they are received from the lab for mineralized intervals in which visible gold particles were noted.

Table 2: Summary of significant gold assay results from this release

Hole ID	Zone	From (m)	To (m)*	Length (m)	Au (g/t)
DDRCCC-26-128	Blackjack	8.0	10.0	2.0	1.30
and	Blackjack	16.0	22.2	6.2	0.83
and	Blackjack	55.0	57.0	2.0	0.95
and	Blackjack	64.6	66.8	2.1	8.96
and	Blackjack	82.1	84.0	1.9	2.38
and	Blackjack	156.0	504.0	348.0	1.12
including	Blackjack	176.0	190.0	14.0	0.93
including	Blackjack	267.0	291.0	24.0	2.03
including	Blackjack	273.0	275.0	2.0	13.65
including	Blackjack	282.0	283.1	1.1	4.18
including	Blackjack	299.0	301.0	2.0	1.27
including	Blackjack	337.0	346.0	9.0	1.14
including	Blackjack	340.0	504.0	164.0	1.83
including	Blackjack	358.0	360.0	2.0	1.08
including	Blackjack	374.0	378.0	4.0	8.06
including	Blackjack	374.0	376.0	2.0	15.35
including	Blackjack	388.0	402.0	14.0	3.03
including	Blackjack	390.0	396.0	6.0	5.81
including	Blackjack	410.0	418.0	8.0	3.40
including	Blackjack	416.0	418.0	2.0	7.75
including	Blackjack	442.0	448.0	6.0	2.38
including	Blackjack	410.0	504.0	94.0	2.21
including	Blackjack	442.0	504.0	62.0	2.86
including	Blackjack	452.0	453.8	1.8	2.78
including	Blackjack	459.0	504.0	45.0	3.49
including	Blackjack	462.0	490.0	28.0	4.59
and	Blackjack	579.0	580.8	1.8	9.51

DDRCRG-26-044	Rhosgobel	6.5	8.0	1.5	1.13
and	Rhosgobel	65.1	67.6	2.5	0.97
and	Rhosgobel	94.9	96.1	1.1	1.08
and	Rhosgobel	169.0	170.5	1.5	1.20
and	Rhosgobel	187.2	189.3	2.2	1.11
and	Rhosgobel	227.2	238.6	11.4	1.00
and	Rhosgobel	248.5	250.5	2.0	0.99
and	Rhosgobel	268.3	269.7	1.4	1.38
and	Rhosgobel	276.8	284.1	7.3	2.87
and	Rhosgobel	278.0	279.1	1.1	9.08
and	Rhosgobel	276.8	305.0	28.1	1.08
and	Rhosgobel	421.1	425.0	4.0	1.05
and	Rhosgobel	446.0	448.0	2.0	1.96
DDRCRG-26-045	Rhosgobel	123.4	125.0	1.6	3.04
and	Rhosgobel	134.0	135.6	1.6	1.69
and	Rhosgobel	150.0	151.5	1.5	1.62
and	Rhosgobel	198.6	200.0	1.4	1.68
and	Rhosgobel	227.1	228.6	1.5	1.01
and	Rhosgobel	307.1	309.0	1.9	1.87
DDRCRG-26-046	Rhosgobel	124.7	126.2	1.5	1.12
and	Rhosgobel	189.6	191.0	1.4	1.02
and	Rhosgobel	307.9	316.3	8.4	0.76
and	Rhosgobel	311.6	314.6	3.0	1.23
and	Rhosgobel	328.0	338.5	10.5	1.28
and	Rhosgobel	335.8	336.7	0.9	4.16
and	Rhosgobel	359.9	362.0	2.1	1.04
and	Rhosgobel	366.0	368.0	2.0	1.16
and	Rhosgobel	383.9	386.0	2.1	2.83
and	Rhosgobel	403.2	409.0	5.9	1.29
and	Rhosgobel	416.0	418.0	2.0	4.17

DDRCRG-26-047	Rhosgobel	6.0	11.2	5.3	0.92
and	Rhosgobel	14.3	23.0	8.7	0.71
including	Rhosgobel	7.0	8.3	1.3	1.04
including	Rhosgobel	9.7	11.2	1.5	1.18
including	Rhosgobel	20.0	21.5	1.5	1.49
and	Rhosgobel	73.0	74.8	1.8	2.85
including	Rhosgobel	73.9	74.8	0.9	5.00
and	Rhosgobel	88.3	91.1	2.8	1.65
and	Rhosgobel	192.5	196.5	4.0	2.25
and	Rhosgobel	207.0	208.0	1.0	3.21
and	Rhosgobel	279.5	303.2	23.7	1.02
and	Rhosgobel	311.9	316.0	4.1	1.59
and	Rhosgobel	445.0	447.1	2.1	1.53
and	Rhosgobel	462.9	465.1	2.1	1.40
DDRCRG-26-049	Rhosgobel	32.0	35.0	3.0	1.45
and	Rhosgobel	59.0	60.0	1.0	1.97
and	Rhosgobel	160.7	171.5	10.8	1.29
and	Rhosgobel	218.8	228.6	9.9	0.99
and	Rhosgobel	280.3	282.0	1.8	2.82
and	Rhosgobel	314.3	389.0	74.8	0.91
including	Rhosgobel	314.3	370.3	56.1	1.12
including	Rhosgobel	329.6	333.0	3.4	4.01
including	Rhosgobel	345.1	347.0	1.9	5.74
including	Rhosgobel	356.6	358.4	1.8	6.46
and	Rhosgobel	436.4	438.0	1.6	1.04
and	Rhosgobel	453.5	455.6	2.1	7.07
and	Rhosgobel	560.4	562.7	2.3	1.27
and	Rhosgobel	570.2	573.7	3.5	1.56

DDRCRG-26-050	Rhosgobel	190.0	196.0	6.0	0.92
and	Rhosgobel	231.8	243.0	11.2	0.90
including	Rhosgobel	233.9	235.8	2.0	2.90
and	Rhosgobel	303.3	307.2	4.0	1.01
and	Rhosgobel	314.6	315.8	1.2	1.24
and	Rhosgobel	321.6	328.3	6.7	1.37
and	Rhosgobel	332.2	340.1	7.8	1.18
and	Rhosgobel	351.5	358.8	7.3	0.98
and	Rhosgobel	412.2	424.0	11.8	0.89
and	Rhosgobel	501.2	503.0	1.9	1.14
and	Rhosgobel	509.0	523.1	14.1	1.50
DDRCRG-26-051	Rhosgobel	245.9	247.0	1.1	1.41
and	Rhosgobel	486.0	495.0	9.0	1.64
including	Rhosgobel	487.9	489.0	1.1	5.70
and	Rhosgobel	529.0	534.5	5.5	1.33
and	Rhosgobel	540.0	542.0	2.0	6.87
and	Rhosgobel	549.6	550.9	1.3	1.11

Intervals are drilled core length, as insufficient drilling has been completed at this time to determine true widths. Intervals may not sum to total due to rounding. **Significant results of intervals of greater than 0.7 g/t Au are included in this table.*

Table 3: Summary of significant tungsten (WO₃) assay results from this release

Hole ID	Zone	From (m)	To (m)*	Length (m)	WO3 (%)
DDRCRG-26-044	Rhosgobel	3.8	8.0	4.2	0.12
DDRCRG-26-044	Rhosgobel	51.7	53.0	1.4	0.12
DDRCRG-26-044	Rhosgobel	82.6	94.9	12.3	0.04
DDRCRG-26-044	Rhosgobel	128.8	138.3	9.4	0.11
DDRCRG-26-044	Rhosgobel	169.0	172.0	3.0	0.70
DDRCRG-26-044	Rhosgobel	207.0	248.5	41.5	0.07
DDRCRG-26-044	Rhosgobel	280.5	293.9	13.4	0.09
DDRCRG-26-044	Rhosgobel	321.0	327.0	6.0	0.32
DDRCRG-26-044	Rhosgobel	347.9	351.0	3.1	0.64
DDRCRG-26-045	Rhosgobel	125.0	126.5	1.5	0.10
DDRCRG-26-045	Rhosgobel	154.7	172.7	18.0	0.06
DDRCRG-26-045	Rhosgobel	195.9	238.0	42.0	0.07
DDRCRG-26-045	Rhosgobel	262.9	298.0	35.2	0.08
DDRCRG-26-046	Rhosgobel	183.5	214.0	30.5	0.11
DDRCRG-26-046	Rhosgobel	246.5	386.0	139.5	0.07
DDRCRG-26-046	Rhosgobel	407.0	418.0	11.0	0.06
DDRCRG-26-047	Rhosgobel	173.4	208.0	34.6	0.04
DDRCRG-26-047	Rhosgobel	235.6	237.7	2.1	0.25
DDRCRG-26-047	Rhosgobel	279.5	316.0	36.5	0.08
DDRCRG-26-047	Rhosgobel	349.0	350.5	1.5	0.14
DDRCRG-26-047	Rhosgobel	376.9	378.9	2.0	0.54

DDRCRG-26-049	Rhosgobel	147.4	157.0	9.6	0.10
DDRCRG-26-049	Rhosgobel	183.0	205.8	22.8	0.04
DDRCRG-26-049	Rhosgobel	251.0	261.0	10.0	0.07
DDRCRG-26-049	Rhosgobel	329.6	383.0	53.4	0.18
DDRCRG-26-049	Rhosgobel	408.0	425.2	17.2	0.08
DDRCRG-26-049	Rhosgobel	453.5	455.6	2.1	0.18
DDRCRG-26-049	Rhosgobel	510.4	528.1	17.7	0.10
DDRCRG-26-049	Rhosgobel	606.2	607.9	1.7	0.15
DDRCRG-26-050	Rhosgobel	143.0	145.0	2.0	0.22
DDRCRG-26-050	Rhosgobel	289.4	340.1	50.7	0.09
DDRCRG-26-050	Rhosgobel	412.2	414.2	2.0	0.31
DDRCRG-26-050	Rhosgobel	451.8	459.7	7.9	0.08
DDRCRG-26-051	Rhosgobel	37.0	38.0	1.0	0.22
DDRCRG-26-051	Rhosgobel	154.3	155.8	1.5	0.16
DDRCRG-26-051	Rhosgobel	179.6	180.8	1.2	0.52
DDRCRG-26-051	Rhosgobel	242.7	247.0	4.3	0.08
DDRCRG-26-051	Rhosgobel	348.0	382.0	34.0	0.07
DDRCRG-26-051	Rhosgobel	418.6	439.2	20.6	0.09
DDRCRG-26-051	Rhosgobel	477.0	564.7	87.6	0.05
DDRCRG-26-051	Rhosgobel	599.3	600.9	1.6	0.16
DDRCRG-26-051	Rhosgobel	652.7	654.3	1.6	0.12

Intervals are drilled core length, as insufficient drilling has been completed at this time to determine true widths. Intervals may not sum to total due to rounding. **Significant results of intervals of greater than 0.05% WO₃ are included in this table.*

Table 4: Summary of collar details for drill holes contained within this release.

Hole ID	Zone	Length (m)	UTM Grid	UTM East	UTM North	UTM Elevation (m)	Azimuth (°)	Dip (°)
DDRCCC-26-128	Blackjack	655.3	NAD83_Z8	396962	7085283	1542	60	-65
DDRCRG-26-044	Rhosgobel	719.3	NAD83_Z8	398488	7080872	1524	190	-60
DDRCRG-26-045	Rhosgobel	550.2	NAD83_Z8	398295	7080604	1548	20	-55
DDRCRG-26-046	Rhosgobel	528.8	NAD83_Z8	398526	7080518	1547	20	-50
DDRCRG-26-047	Rhosgobel	534.9	NAD83_Z8	398295	7080604	1548	20	-70
DDRCRG-26-049	Rhosgobel	690.4	NAD83_Z8	398526	7080518	1547	19	-70
DDRCRG-26-050	Rhosgobel	527.3	NAD83_Z8	398785	7080409	1607	20	-50
DDRCRG-26-051	Rhosgobel	667.5	NAD83_Z8	398785	7080409	1607	20	-60




Figure 8: Longitudinal section showing locations of several of the intrusion targets and the current gold resources within the Clear Creek Intrusive Complex. A 60,000 metre diamond drilling program planned for 2026 will focus on further expansion of the 2 km long Blackjack-Eiger area with 15,000 metres of drilling. An additional 30,000 metres of drilling is planned at Rhosgobel to follow up on the initial diamond drilling conducted by Sitka in 2025. 10,000 metres of drilling has been allocated for the Pukelman-Contact zone and 5,000 metres of drilling will follow up on initial drilling results from Bear Paw and test other high-priority targets.




Figure 9*: A plan map of the Clear Creek Intrusive Complex (CCIC) showing the updated resource areas at Blackjack and Eiger, and the six additional areas that have drill targets indicated by the mauve hatched areas. The map highlights the numerous drill targets that Sitka has outlined within the CCIC which all are connected by the road network on the project and occur in an area measuring five (5) km north-south and twelve (12) km east-west. Additional areas highlighted by strong gold in soil anomalies are being advanced to the drill ready stage with additional geological work planned in 2026.

* References for Figure 9 drilling intervals:

Rhosgobel Intervals: Sitka Gold News Release dated November 25, 2024

Pukelman Intervals: Sitka Gold News Release dated January 7, 2025

Contact Intervals: O'Brien, 2010; Assessment Report, 2010 Diamond Drilling Program, Clear Creek Property (Assessment report 095539)

Shutty, 2011; Assessment Report, 2011 Exploration Program, Clear Creek Property (Assessment Report 095984)

Bear Paw Intervals: Shutty, 2011; Assessment Report, 2011 Exploration Program, Clear Creek Property (Assessment Report 095984)

About the RC Gold Project

Sitka's 100% owned, flagship RC Gold Project consists of a 447 square kilometre contiguous district-scale land package located in the heart of Yukon's Tombstone Gold Belt. The project is located approximately 100 kilometres east of Dawson City, which has a 5,000 foot paved runway, and is accessed via a secondary gravel road from the Klondike Highway which is usable year-round and is an approximate 2 hour drive from Dawson City. It is one of the largest consolidated land packages strategically positioned mid-way between the Eagle Gold Mine and the past producing Brewery Creek Gold Mine.

The RC Gold Project hosts an **indicated MRE of 1,291,000 ounces of gold** and an **inferred MRE of 3,829,000 ounces of gold** (see Table A below) hosted within three at surface, road-accessible pit constrained deposits. The 60,000 metre drill program planned for 2026 is focused on expanding all three known deposits in addition to testing other high potential targets in close proximity to the current resources.

Table A: Summary of Gold Mineral Resources at the RC Gold Project

Zone	Class	Cut-off Grade (g/t Au)	Tonnes (000's)	Gold Grade (Au g/t)	Oz Au (000's)
Blackjack *	Indicated	0.3	39,962	1.01	1,291
Blackjack *	Inferred	0.3	34,603	0.94	1,044
Rhosgobel**	Inferred	0.3	100,677	0.70	2,250
Eiger**	Inferred	0.3	32,143	0.52	535
Total Inferred	Inferred	0.3	167,423	0.72	3,829

*** Notes for Blackjack Resources:**

1. Mineral resource estimate prepared by Ronald G. Simpson of GeoSim Services Inc. with an effective date of January 21, 2025.
2. Mineral Resources are estimated consistent with CIM Definition Standards and reported in accordance with NI 43-101.
3. Mineral resources are not mineral reserves and do not have demonstrated economic viability.
4. Mineral resources are constrained by an optimized pit shell using the following assumptions: US\$2000/oz Au price; a 45° pit slope; assumed metallurgical recovery of 85%; mining costs of US\$2.00 per tonne; processing costs of US\$10.00 per tonne; G&A of US\$4.00/t.
5. The base case cut-off of 0.3 g/t Au is believed to provide a reasonable margin over operating and sustaining costs for open-pit mining and processing
6. Totals may not sum due to rounding.

**** Notes for Rhosgobel and Eiger Resources:**

1. Mineral resource estimate prepared by Ronald G. Simpson of GeoSim Services Inc. with an effective date of February 25, 2026
2. Mineral Resources are estimated consistent with CIM Definition Standards and reported in accordance with NI 43-101.
3. Mineral resources are not mineral reserves and do not have demonstrated economic viability.

4. Mineral resources are constrained by an optimized pit shell using the following assumptions: US\$3000/oz Au price; a 45° pit slope; assumed metallurgical recovery of 85%; mining costs of US\$2.50 per tonne; processing costs of US\$14.00 per tonne; G&A of US\$4.00/t.
5. The base case cut-off of 0.3 g/t Au is based on a gold price of US\$2500/oz and believed to provide a reasonable margin over operating and sustaining costs for open-pit mining and processing
6. Totals may not sum due to rounding.

All of these deposits begin at surface and are potentially open pit minable. Initial bottle roll metallurgical testing confirmed the non-refractory characteristics of the gold mineralization and returned gold extraction rates averaging around 85% for the Blackjack and Eiger deposits. Further metallurgical testwork in 2024 for Blackjack and Eiger returned recoveries ranging from 77.6 to 93% for gravity followed by cyanidation. Initial bottle roll testing for Rhosgobel has confirmed non-refractory characteristics of the gold mineralization with two composite samples returning gold recoveries of 89% and 96%. Additional metallurgical testing at Rhosgobel has returned an average gold recovery of 94.3% using conventional whole ore cyanidation leaching and an initial recovery of 84.7% tungsten in rougher concentrate using conventional flotation. Metallurgical testing for potential silver recovery has not yet been completed.

For the purposes of the current resource model, it is assumed that a likely mill flowsheet would consist of a gravimetric, flotation, and cyanidation circuit.

Upcoming Events

Sitka Gold will be attending and/or presenting at the following events*:

- Yukon Mining Alliance – Property Tours and Conference: Dawson City, Yukon: July 12-15, 2026
- Diggers and Dealers: Kalgoorlie, Western Australia: August 3 - 5, 2026
- Precious Metals Summit: Beaver Creek, Colorado: September 22 - 25, 2026
- Denver Gold Show: Colorado Springs, Colorado: September 27 - 30, 2026

*All events are subject to change.

About Sitka Gold Corp.

Sitka Gold Corp. is a well-funded mineral exploration company headquartered in Canada. The Company is managed by a team of experienced industry professionals and is focused on

exploring for economically viable mineral deposits with its primary emphasis on gold, silver and copper mineral properties of merit. Sitka is currently advancing its 100% owned, 447 square kilometre flagship RC Gold Project located within the Tombstone Gold Belt in the Yukon Territory. The Company has also announced plans to spin-out the Alpha Gold Project in Nevada and the Burro Creek Gold and Silver Project in Arizona into a new discovery-focused exploration company to be named at a later date.

A 60,000 metre diamond drilling program planned for 2026 is currently underway at the Company's flagship RC Gold Project, located in Yukon Canada, where six diamond drill rigs are currently operating.

*For more detailed information on the Company's properties please visit our website at www.sitkagoldcorp.com

Quality Assurance/Quality Control

On receipt from the drill site, the HTW/NTW-sized drill core was systematically logged for geological attributes, photographed and sampled at Sitka's core logging facility. Sample lengths as small as 0.3 m were used to isolate features of interest, otherwise a default 2.0 m downhole sample length was used. Each sample is identified by a unique sample tag number which is placed in the bag containing the core to be assayed. Core was cut in half lengthwise along a predetermined line, with one-half (same half, consistently) collected for analysis and one-half stored as a record. Standard reference materials, blanks and duplicate samples were inserted by Sitka personnel at regular intervals into the sample stream. Bagged samples were placed in secure bins to ensure integrity during transport. They were delivered by Sitka personnel or a contract expeditor to ALS Laboratories' preparatory facility in Whitehorse, Yukon, with analyses completed in North Vancouver.

ALS is accredited to ISO 17025:2005 UKAS ref. 4028 for its laboratory analysis. Samples were crushed by ALS to over 70 per cent passing below two millimetres and split using a riffle splitter. One-thousand-gram splits were pulverized to over 85 per cent passing below 75 microns. Gold determinations are by fire assay with an inductively coupled plasma atomic emission spectroscopy (ICP-AES) finish on 50 g subsamples of the prepared pulp (ALS code: Au-ICP-22). Any sample returning over 10 g/t gold was re-analyzed by fire assay with a gravimetric finish on a 50 g subsample (ALS code: Au-GRA21). In addition, a 51-element analysis was performed on a 0.5 g subsample of the prepared pulps by an aqua regia digestion followed by an inductively

coupled plasma mass spectroscopy (ICP-MS) finish (ALS code: ME-MS41). All drill core at the Rhosgobel Deposit was selected for additional XRF analysis on a lithium borate fusion (ALS code: XRF-15b) for WO_3 .

Scientific and technical content of this news release has been reviewed and approved by Gilles Dessureau, P.Geo., V.P. Exploration of the Company, and a Qualified Person (QP) as defined by National Instrument 43-101.

Mr. Dessureau has verified the data disclosed in this news release, including the sampling, analytical and test data underlying the disclosure, through multiple visits to drill sites and regular review of the QA/QC procedures applied to analytical results received from ALS Laboratories. No limitations or failures to verify were identified that could materially affect the results.

ON BEHALF OF THE BOARD OF DIRECTORS OF
SITKA GOLD CORP.

“Cor Coe”

CEO and Director

For more information, please contact:

Sitka Gold Corp.

+1-604-979-0509

info@sitkagoldcorp.com

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

Cautionary and Forward-Looking Statements

This release includes certain statements and information that may constitute forward-looking information within the meaning of applicable Canadian securities laws. Forward-looking statements relate to future events or future performance and reflect the expectations or beliefs of management of the Company regarding future events. Generally, forward-looking statements and information can be identified by the use of forward-looking terminology such as “intends” or “anticipates”, or variations of such words and phrases or statements that certain actions, events or results “may”, “could”, “should”, “would” or “occur”. This information and these statements, referred to herein as “forward-looking statements”, are not historical facts, are made as of the date of this news release and include without limitation, statements regarding discussions of future plans, estimates and forecasts and statements as to management’s expectations and intentions and the Company’s anticipated work programs.

Such forward-looking information and statements are based on numerous assumptions, including among others, that the Company will carry out its exploration plans as currently anticipated by management. Although the assumptions made by the Company in providing forward-looking information or making forward-looking statements are considered reasonable by management at the time, there can be no assurance that such assumptions will prove to be accurate.

These forward-looking statements involve numerous risks and uncertainties and actual results might differ materially from results suggested in any forward-looking statements. These risks and uncertainties include, among other things, market uncertainty, risks related to exploration and the results of the Company’s anticipated work programs.

Although management of the Company has attempted to identify important factors that could cause actual results to differ materially from those contained in forward-looking statements or forward-looking information, there may be other factors that cause results not to be as anticipated, estimated or intended. There can be no assurance that such statements will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. Accordingly, readers should not place undue reliance on forward-looking statements and forward-looking information. Readers are cautioned that reliance on such information may not be appropriate for other purposes. The Company does not undertake to update any forward-looking statement, forward-looking information or financial outlook that are incorporated by reference herein, except in accordance with applicable securities laws. We seek safe harbor.